



Vol. 2 | No. 1 | Jan. - Jun., 2013

## In this issue

*Technology commercialization*

*Research Highlights*

*Awards / Recognitions*

*Trainings*

*Personnel*

*Publications*

*Events*

*Distinguished visitors*

*Seminar / Lectures*

*Laboratory Profile*

*Forthcoming events*

Editorial board

Dr. G. Letha Devi  
Dr. Pradeep Malik  
Dr. Anjumoni Mech  
Dr. A. Dhali  
Dr. Prakash Khandekar

Published by

Dr. C. S. Prasad  
Director, NIANP



MoU signed between NIANP & Nandi Agro Vet Ltd., for commercialization of sheep & goat mineral mixture on 15-02-2013

### Technology commercialisation: mineral mixture for small ruminants

Commercial mineral mixtures comprising the essential minerals are available for large ruminants like cattle and buffalo. Small ruminants like sheep and goat have specific mineral requirements, which is

quite different from the large ruminants. Specific mineral mixture formulations for small ruminants are commercially not available. Of late, sheep and goat rearing is transforming from extensive to semi-intensive in some regions. Realising this, a research project was undertaken at NIANP, Bangalore to formulate specific mineral mixture for sheep and goat and test their efficacy to improve growth and health. Depending on the mineral requirement of sheep and goat, their feeding habits, mineral status of feeds and fodders used and identify the most limiting minerals, specific mineral mixture formulations were made for sheep and goat. These formulations were tested in sheep and goat in organised farms and found to improve growth and immunity. Based on the findings, the technology was commercialized popularise the with NANDI Agrovet Private Ltd., the technology could be upscaled and meet the demands of farmers.

### Research Highlights

Protein marker for detecting putative motility in buffalo and cattle semen

In the process of developing a suitable assay to screen sub-fertile buffalo bulls, an attempt was made to characterize the fertility associated proteins namely CatSper (a pH-dependent sperm-specific calcium ion channel of human and mouse sperm) and TIMP-2 (tissue inhibitor of metalloproteinase-2) in buffalo semen. In both buffalo and cattle spermatozoa, CatSper-1 of approx. 22.2 kDa was detected. Specifically in buffaloes, CatSper1 proteins were found to be localized at the post-acrosomal and principal piece regions of spermatozoa.



National Institute of Animal Nutrition and Physiology  
Adugodi, Bangalore-560030


Tel: 080-25711303, 25711164; Fax: 080-25711420.

E mail: [directornianp@gmail.com](mailto:directornianp@gmail.com)


[www.nianp.res.in](http://www.nianp.res.in)




Besides, five CatSper3 immunoreactive protein bands of 59.7, 51.3, 39.5, 29.5 and 20.0 kDa were detected in buffalo sperm extracts. The low motility of buffalo spermatozoa were associated with aberrant expression of CatSper-3 ion channel proteins. In both buffalo and cattle, two molecular weight forms of TIMP-2 (22.4 and 17.8 kDa) were detected in seminal plasma and significantly lower expression of TIMP-2 were found to be associated with low sperm motility. Thus, TIMP-2 protein was identified as a putative motility marker for buffalo and cattle semen. Which could help in enhancing fertility in buffaloes at farm gate level.



Immunolocalization of CatSper1 proteins in buffalo spermatozoa




Aberrant expression of CatSper3 immunoreactive proteins in low motility buffalo sperm extracts. Lanes 3-4 displayed abnormal presence of 24.9 kDa and 10.8 kDa CatSper3 immunoreactive bands in low motility spermatozoa




Western blot detection of TIMP-2 protein in buffalo and cattle seminal plasmas. Approximately 20 g of proteins/lane were separated using a uniform 15% polyacrylamide gel. Two molecular forms (22.4 and 17.8 kDa) of TIMP-2 proteins were detected in buffalo and cattle seminal plasmas using polyclonal rabbit anti-human TIMP-2 antibody. Lanes 1-3: seminal plasmas from high motility (70% motility) buffalo spermatozoa; Lanes 4-6: seminal plasmas from low motility (40% motility) buffalo spermatozoa; Lane 7: buffalo serum; Lane 8: seminal plasma from high motility (70% motility) cattle spermatozoa; Lane 9: seminal plasma from low motility (40% motility) cattle spermatozoa.

## Developing repository of rumen bacteria

Rumen bacteria from domestic ruminants viz; cattle, buffalo, sheep and goats were isolated and characterized microbiologically and biochemically. Eighteen bacterial isolates from sheep was cultured and further processed for DNA extraction, amplification, cloning in suitable vectors, transformation positive clones selection and then sequencing. These cultures were belong to *Streptococcus* sp. The bacteria that have been identified and added to repository are: *Streptococcus infantarius* subsp. *infantarius*, *Streptococcus lutetiensis*, *Streptococcus bovis*, *Streptococcus equines*, *Clostridium bifermentans*, *Escherichia coli*, *Clostridium botulinum* A3 and *Clostridium* sp. Additionally three more gram positive live anaerobic cultures namely *Bacillus nealsonii* (VTCCRM000020B), *Clostridium beijerincki* (VTCCRM000021B), *Clostridium sartagoforme* (VTCCRM000022B) were submitted to the repository by Anand Agricultural University. The phylogenetic analysis of few bacterial isolates obtained have been studied.



Phylogenetic analysis (MEGA 4) of bacteria isolated in the present study



*Streptococcus bovis*

## Effect of dietary fungal phytase supplementation on the performance of broiler chicken

Effect of fungal phytase supplementation on the performance of broiler chicken fed on maize- soybean based diet was evaluated. Two fungal isolates *Aspergillus awamori* (NCIM 885) and *Aspergillus foedidus* (isolated from soil) showed good phytase activity and therefore finally selected for the bulk production of phytase in laboratory using

immobilization technique. Through immobilization of fungus, phytase activity of 80-100 FTU/ml was obtained within 6-10 days of incubation at a regular interval. Activity of phytase enzyme produced in lab was stable over wide range of temperature (30-70°C) and pH (3.5-6.5). 192 birds divided into 4 groups were fed on maize-soybean based diet supplemented with inorganic P (positive control, T-1), low P (0.45% available, negative control, T-2), lab phytase (T-3) and commercially available phytase (T-4). Supplementation of phytase enzyme @ 500 FTU/ml from both the commercial and lab sources could replace 0.12% of the available or non-phytin P in broiler diet. However, feed intake, body weight gain and meat yield was lower in the broilers receiving lab produced phytase enzyme as compared to birds receiving commercially available phytase. Supplementation of both lab phytase and commercial phytase reduced the excretion of P by 30%. It may be concluded that lab phytase produced by immobilization can replace phytin P up to 0.12% in the diet of broiler chicken.

## Awards / Recognitions

Dr. S. B. N. Rao, Principal Scientist, was conferred the Fellow Award of Society for Applied Biotechnology for the year 2012.

Dr. A. Thulasi, Senior Scientist was conferred the Fellow Award of Society for Applied Biotechnology for the year 2012.

Dr. P. K. Malik, Senior Scientist was conferred the Fellow Award of Society for Applied Biotechnology for the year 2012.

## Trainings



Valedictory function of Model Training Course on 21-02-2013



Valedictory function of VTC Hands on Training Programme on 18-03-2013



Valedictory function of Trainers Training Programme on 06-06-2013


## Personnel



Dr. C.S. Prasad, Director felicitating Sri Basavaraja, T.O (T-9) on his superannuation on 31-01-2013

## Publications

### Technical bulletins/Folders



## Events



New year celebration on 01-01-2013



Sports events held on 15-01-2013



Pongal celebration on 15-01-2013



IMC meeting held on 17-01-2013



RAC Meeting held on 15-02-2013



Republic day celebration on 26-01-2013

## 2<sup>nd</sup> Innovative and Progressive Farmers Meet

The Second Innovative and Progressive Farmers Meet was held on 24<sup>th</sup> January, 2013. Dr. S. Ayyappan, Secretary DARE & DG, ICAR was the chief guest of this function. Padmashree Dr. M Mahadevappa, Former VC, UAS, Dharwad and Former Chairman, ASRB, presided over the function. Dr. K D Kokate, DDG (Ag Ext.), ICAR; Dr. KML Pathak, DDG (AS), ICAR; and Dr. Renuka Prasad, VC, KAFSU, Bidar were the guests of honour. Ten selected progressive farmers were felicitated on this occasion. They shared their experiences and innovations with the fellow farmers. About 150 farmers attended the meet. In the scientist-farmer interaction session, a panel discussion was held under the chairmanship of Dr. Narayangowda, VC, UAS, Bangalore, wherein queries of farmers in relation to livestock farming were answered by the experts from different departments. The dignitaries released several technical bulletins and 'Feed Assist': a farmer friendly ration formulation program was also launched by chief guest.



## Distinguished Visitors



Dr. M. M. Pandey, DDG (Engg), interacting with scientists on 19-01-2013



Sri G.C. Pati, Secretary, DAHD & F, Gol interacting with scientists on 31-01-2013



Dr. T.G. Nagaraja of KANSAS state university interacting with scientists on 07-02-2013



Dr. P. Redanna, Director, NIAB interacting with scientists on 22-02-2013



Sri Tariq Anwar, Honorable MoS (Agriculture), Gol visited NIANP on 29-05-2013



Dr. Devakumar, ADG (Education), interacting with scientists on 07-06-2013

## Seminars/ lectures

SI No	Month	Presenter	Topic
1	Feb 2013	Prof. Dr T G Nagaraja of Kansas State University, USA	Feed safety
2	Feb 2013	Dr. PSP Gupta, Principal Scientist, Animal Physiology	Role of WNT signaling in granulosa cell estradiol synthesis in cattle
3	Mar, 2013	Dr. K Giridhar, Senior Scientist, Animal Nutrition	Crop Simulation Modelling
4	May, 2013	Mrs Sreja Ajith, PhD Scholar, Microbiology	Use of Microbes for Environmental Management.
5	May, 2013	Dr Sumanta Nandi, Senior Scientist, Animal Physiology	Mechanistic insights of wound healing (tissue repair)
6	June, 2013	S Parthipan, PhD Scholar Biochemistry	Next Generation Sequencing Technology: Application in Animal Reproduction

## Laboratory Profile

### Molecular biology lab

The Molecular Biology Laboratory of the institute was established in 1998 with the vision of creating a state-of-the-art facility for conducting research in the advanced area of functional genomics such as proteins, transcripts, and regulatory small molecules. Some of the research facilities include ultracentrifuge and other refrigerated and non-refrigerated centrifuges, ultrasonic processor, tissue homogenizers, gel electrophoresis system for proteins and nucleic acids, imaging systems for chromogenic, fluorescence and radio-labelled gels, fast pressure liquid chromatography system, *in vitro* prokaryotic and eukaryotic cell culture facilities for recombinant protein production and other *in vitro* experiments, DIC and fluorescent microscopes, shaking incubators, gradient and real-time PCR systems, micro-plate reader, isoelectric focussing system etc.

### Salient achievements

- Characterized and identified several estrous cycle and pregnancy-specific uterine luminal fluid and endometrial proteins that may play a role in conception, establishment and maintenance of pregnancy in buffaloes.
- Identified proteins relating to regression of corpus luteum
- Characterized the status of several antioxidant enzymes of buffalo oviduct and endometrium and the mechanism of their modulation during estrous cycle and early pregnancy. Submitted several cDNA sequences of buffalo reproductive tract antioxidant genes to NCBI (GenBank)

- Cloned and confirmed the sequence of major buffalo PAG transcript of fetal cotyledon and caruncular tissues.
- Identified a putative motility marker for buffalo and cattle semen

### Current focus of research

- Development of pregnancy diagnosis assay for buffaloes based on already available marker
- Exploring the newer markers of pregnancy in cell free body fluids of buffaloes
- Identification of sub-fertile buffalo bulls using molecular markers
- Development of suitable semen extender for improved post-thaw motility of buffalo semen.



## Forthcoming events

Sl No	Name of the event	Duration	Dates/period
1.	Independence Day	-	15. 08. 2013
2.	IMC meeting	1 day	August 2013
4.	Hindi Fortnight	-	14. 09. 2013- 28. 09. 2013
5.	Short course on 'Precision feeding and nutrigenomic modulation of underlying physiology to ameliorate stress and promote production in livestock'	10 days	04. 09. 2013 - 13. 09. 2013
6.	Ganesh Chaturthi	-	09. 09. 2013
7.	PMC meeting	1 day	28. 09. 2013
8.	Midterm Expert Committee meeting for research projects evaluation 2012-13	1 day	29. 09. 2013
9.	Ayudha Puja	-	14. 10. 2013
10.	Winter School on 'Climate change and Abiotic stress management in livestock: Basic concepts and amelioration measures'	21 days	05. 11. 2013 - 25. 11. 2013
11.	Agricultural Education day	-	November 2013
12.	National Integration & Kannada Rajyotsava	-	19. 11. 2013
13.	Institute Foundation Day & Scientist-Farmer interaction meet	1 day	24. 11. 2013

**nefā-θāfMū urfuExērēfMūhē: NfDfUeafg El  
nfzEflAēfMū ūSfL ZfIfef fgef ēhē**

## A IÉÑKÉKÉIÉ XÉÍZÉrÉEð :-

affré Luépéaxéésmá uéré géa Zrééjé aejézéiséié Mué effré wéén méoüle gémüü : -

þekká Mi uðirfí qfá meðeðiEIE xéþekel meðöldiEIE efaðá Miðokmú (mélcf  
Aékeðueit zéðiheñ luðzé 1 Miðsréqf Aéreli meðeðesel) iðjé OiðAELQfem-1-2  
(qfáðiEIE meðöldiEIE - 2 Mi FíEmu Auðuekemu) Muð meðeðað Muðum Múqf Euðu  
xéðQf Mið meðicEIE Mi ÍsEL lIÉSEI meðuzé Muða luðmiðxéiE LuðzéðawéiE lMúrE  
afré | aferf Luðþpáð Mi zéðiheñqfáðapfá 22.2 lMuðfáQfisOid Miðokmú - 1  
meðöldiE Muð ZéðEE afré Wíl þekká qfáluðzéðmu Miðokmú - 1 meðöldiE zéðiheñqfáð  
Mi nafðOuL Þíðæfnesel iðjé qfízré ZéðQfáxjEElEo WílaWíl CxEmi AÍlEUEU 5  
Aéu Miðokmú - 3 meðiEEl meðöldiE 57.5, 57.3, 39.5, 29.5 Aéu 20.0  
lMuðfáQfisOid Muðapfá þekká Mi zéðiheñxéðametiE xéiE qfá ZéðEE afré Wíl þekká  
Mi zéðiheñmuð Múqf aflu ÍzéðlSíE E Muð qfízré Muðuhé Miðokmú - 3 Aéreli céatst  
meðöldiE Mi xíðerñet lSíMuðAéu Mið AlþurElE Muð Múqf WílaEE meðree afré | afré  
Luð þekká qfá Wíl OiðAELQfem-2 Mi Síða xégrueða (22.4 Luð 17.8  
lMuðfáQfisOid) Muða lxfqfáðse mstfæfqqf qfá ZéðEE afré lTeðxEmu xéðek  
zéðiheñmuð Mið Asnf aflu ÍzéðlSíE xá xjEElE E lMúrEE afré | CxEmi meðMuð xá  
OiðAELQfem-2 meðöldiE Muða afré Luð þekká qfá uðirfí Mið effici Mi ÍsEL LMu  
ZréEiE aflu ÍzéðlSíE qfímuð Mi Ám qfáxjEElE iMúrEE afré |

ÂqéâÉ eÉluÉhÉNMüâÉ MüÉ xj ÉmÉlÉ LuÉçluÉx iÉEU :

méreséié UÉfog él mézéria és eáka aéré, péké, pédió oémüjj Ciréés xéa nég ÉMü l'Muréa aéréa Áqfáé eéluehéra Muá xép qéfáéumü Lufé eáé – Uéxréétiémü qéfáéSQé Mi Áékééu ménü lúezfáé l'Muréa aéréé WéL Músc eéluehéraMúscu xálfáYséMü Aqsf (QülliéL) Muá néj ÉMü Miú, méelkéié iéj él Emérééu uéfáyMü 2ÉU E. coli qfá méfáéfáéUéj l'Muréa aéréé | xMúéUéi qéMü néfáéfáéUéhé uéfáé Yséáé Muácéréié Miú

A IECUqie IMREarEE | 18 pEOfaxEanEEmu IMREarEaEEUEHNAEMualuEi  
MuUEaMaluEiEuEUEQiEYxExECITEOURExE  
XONOMEAYxEsELDOxEEEIxExE, XONOMEAYxEoEFuluExE, XONOMEAYxE  
CMuEECIxE, YsEExOIQiEqE, oECTuqEIOxE, LxECEIUCEE, MuESED,  
YsEExOIQiEqEoEDOSEIEqEA3, YsEExOIQiEqExmEEIxEMaluEiCluIWNE  
MuUMaluEiEUEHNMuEiEqaluEiEqEIMREarEE | CxEMaluEiAstEEUEAEESMuluE  
IEUEMuEiEUEE2EE1EUSIE1MREarE3 aEqEluEIOMduluEUEAuEREUIREEluEUHN  
oEfEISExEaEE1IEUESEEaEE1, YsEExOIQiEqEoEEUICMud, iEEYsEExOIQiEqE  
xEUEOMuEiEUEqEMuEiEqazEEluEQSE1MREarEE

MüüMüdré TÜCOTef mÜhē oßerSÉU qÜlairEEg MüD EinMÜS MüEE mEU möpEEU :-

MiuÉMüDré TiÉCOïE nÉOHé Mué oÉrÉsEU qÉllaErÉsMuD EinÉESMuïE nÉpÉEÜ MuD eÉrÉcE xÉqjEEiE Ma uÉrÉEiE lÉMiEg 2ÉUE MuD aÉrEi | SÉa MiúEMüDré TiÉCOïE lXmÉUfesExE AuÉqÉEñ (LiÉxÉiAÉULqÉ 885) AÉl LxRfUfesExE MiEDQiqÉ (sq-ü xÉamÉg EMü lMürEE WØAÉ) Miáa TiÉMü Ac-aTlÉCOïE xElCureiE nÉsÉzÉiE MuUfá Ma AÉkÉEU nÉoÉaÉzÉsEE qÉa jÉEMü EinÉESiE Mi fSÉL cÉrÉlEiE lMürEE aÉrEE | Txj ÉUÍMiUHé iEMüiEMü MiUfá nÉrÉaÉ MuUiEaWØ, EnÉUEaU SÉaÉaMuUfMuEg xÉa SÉaEpéaF 80-100 LlRfUfOrÉVlqÉsE. xElCureiE Mué TiÉCOïE lIffECqÉ EwqÉrÉiE Ma 6-10 lSiFÉa Ma AISU nÉmÉiE WØ i nÉrÉaÉzÉsEE qÉa EinÉESiE TiÉCOïE MuD xElCureiE nÉU iÉnÉqÉEiE (30 - 70°C) LuÉfUfLc (3.5 - 6.5) Mué pÉi MiED nÉiEMØsÉ nÉpÉEÜ lEWØ SzÉE aÉrEE | 192 oÉrÉsEU qÉllaErÉa Miáa 4 xEqfWØ qÉa lUÉpÉtEiE MuUMá, AMiEdiE lEMü TiÉxTiÉlxÉ (xEmÉUqÉMü lIffqÉsEiE xEqfWØ T1), qÉtÉ xÉa MuqÉ TiÉxTiÉlxÉ EinÉsokEiE (0.45 % EnÉsokEiE, lEMüUqÉMü lIffqÉsEiE xEqfWØ, T2), nÉrÉaÉzÉsEE EinÉESiE TiÉCOïE (T3) LuÉfUrÉuXÉEiE lEMü TiÉCOïE (T4) Mué nÉOHé qÉ, uÉ - xÉrÉfOÖiE AÉkÉEUiE UÉZÉiE Ma xÉtÉ 500 LlRfUfOrÉVlqÉsE MuD Su xÉa lMürEE aÉrEE | nÉrÉaÉzÉsEE LuÉfUrÉfExEiE lEMü xÉaÉa xÉa nÉmÉiE TiÉCOïE lIffECqÉ Mué 500 LlRfUfOrÉVlqÉsE nÉOHé MuUfá nÉU oÉrÉsEU qÉllaErÉa qÉa 0.12 nÉiEzÉiE EnÉsokE AjEüE A-TiÉClOïE TiÉxTiÉlxÉ Muáa nÉiExj EÉmEiE lMürEE eÉE xÉMuïE WØ pÉtÉiE aÉrÉzÉiE, pÉU uÉ AÉl qÉxEx EiÉESiE nÉrÉaÉzÉsEE qÉa EinÉESiE TiÉCOïE nÉOHé uÉsÉa xEqfWØ qÉa UrÉfExEiE lEMü TiÉCOïE uÉsÉa xEqfWØ MuD iÉsÉiE qÉa MuqÉ SzÉE aÉrEE | nÉrÉaÉzÉsEE LuÉfUrÉfExEiE lEMü TiÉCOïE Ma nÉOMuUmMuHé xÉa TiÉxTiÉlxÉ Ma qÉsÉa xÉfEiE 2ÉUE WØfá uÉsÉa AÉmÉrÉrÉ Muáa 30% iEMü MuqÉ lMürEE eÉE xÉMuïE WØ AqÉiE: rEWØ lIÉMuUfá lIÉMuSÉ EEE xÉMuïE WØ Mu nÉrÉaÉzÉsEE EinÉESiE TiÉCOïE Ma nÉOHé xÉa TiÉClOïE TiÉxTiÉlxÉ Muáa 0.12 nÉiEzÉiE Ma xiÉU iEMü oÉrÉsEU qÉllaErÉE qÉa nÉiExj EÉmEiE lMürEE eÉE xÉMuïE WØ

12 iEiré AlpEíEú AÉd mæf iEzElsE lMuxEEIE xEggfEIE

**mērēfāfēzēsē Šmēuzē**

AÉhÉluÉMu eÉluÉluÉ¥ÉÉlÉ mÉrÉÉaÉzÉÉsÉÉ

Miéről qéMú eÉlÉqéYxÉ MÁ Alaféqé eÉsé efaXá lMu mÉdólxÉ, qéXéCmOí AÉl  
lÉlÉrÉqéMú NÉdA AhÉlAÉMá oÉsé qéE3ÉlÉ AlÉkékéÉlÉ Miéről xÉcélÉsÉlÉ MiUléá  
MÁ ESzírÉ xÉa xÉj ÉlÉlÉ qéS uÉnÉ 1998 qéS LMú AirÉkÉlÉMú xÉllÉkÉ rÉlÉ  
AÉlhúMú eÉlÉlÉuYÉlÉ rÉfÉfÉzÉsÉ Múd xj ÉlÉlÉ Múd aÉrÉlÉ AsOf xÉdúlhrlÉt,  
mÉzÉlÉiÉ xÉdúlhrlÉt, aÉlÉ mÉzÉlÉiÉ xÉdúlhrlÉt, AsOf xÉlÉMú mÉxaxÉU, FíÉMú  
WíÉpÉlÉlÉCéU, mÉdólÉ AÉl IrÉYsÉMú LÍxÉQú MÁ Isfrá eÉsé  
uÉa NÉmihExÉpÉsÉlÉ, uÉhfÉsÉlÉMú, mÉlÉsTlMÉ UáQirÉsÉsÉsÉ eÉsÉ MÁ IsÉL CqfÉfÉ  
fxExOqé, iÉaÉ SoffÉlÉ iÉUsÉ CqfÉfÉfÉtUd mÉhÉsÉlÉ, mÉhÉ xÉpÉsÉMú mÉdólÉ MÁ  
EimÉsÉlÉ MÁ IsÉL CÍE luOñá mÉMúrÉlÉlOMú AÉl rÉMáUrÉlÉlOMú xÉsÉ MuscÉU  
xÉllÉkÉrÉs QáAÉdxÉlÉ AÉl nsÉlÉrÉkÉdU qÉC CíÉMáÉt, mÉlxÉlÉAÉU, EürÉsÉoCqé  
mÉlxÉlÉAÉU, xÉbqé msÉdUuQú mÉfÉfÉzÉsÉlÉ qéS EmÉsfokÉ xÉllÉkÉAÉqé xÉaMÚN Mú  
WÉ

## MÉRÉÉAÉZÉÉSÉÉ MüD qÉNzré EmésÉllokérÉÉ

- qES cEú LuEç aEPÉEUxj EÉ luEzE1 aEPÉEZERÉ sERÉQÉIE AÉU  
A11EaEPÉEZERÉMUSÉE nÉD11E eEE1Mü pÉKÉE1Mü aEPÉKEUHé, xj EENÉIE LuEç  
11EUNÉW qES LMü qÉZRE pÉQÉMÜ ASÉ MüUfá Wé Müa nEWICÉIE1E LuEç  
luEzEwE1E MüUfáMü Müqf nÉD11EzE1E 2EUE 1MURÉ aErÉ Wé
  - MüEñExE sERÉD11OqÉ Mü nE11EaQÉIE xEPÉKE1 nED11E MüD nEWICÉIE
  - pÉKÉE1Mü nE11EIE pÉKÉE1Mü LQ1B YXÉ1QDIE1E Mü MüD c DNA  
A11EaEPÉEZERÉ Müa L1ExE1E1AED MüEñE qES eEQÉE 1MURÉ Wé
  - pÉKÉE1 qES pÉKÉE1 MüED11DSE1Q1E AÉU MüUfáMUSÉU F1EMIÉS Mü nE11LeE1  
(PAG) O11xE1CmO1 MüD YSE11E1E1E LuEçA1E1CqF 2EUE nE11
  - aErÉ LuEçpÉKÉE1Mü uE1rE1Mü eEE1E Mü fSEfáZRE1E aE1iEzE1S1E1E qEMüU MüD  
ZEE1E
  - nEWICÉaXa EMÉSOKÉ qEMüU nEU AÉKEE1E1E 11ESE1E nEUZÉ MüE luEMüEXÉ  
pÉKÉE1 qES aEPÉKEUHé MüD eEE1E Mü fSEfá MüUfá EÉ
  - pÉKÉE1 qES ZE1U Mü MüfáZMü qE1E1E iEUSÉ nESJ E Mü AÉKEU nEU  
aEPÉEUxj EÉ eEE1E Mü fSEfá I1Efá qEMüUfá Mü ZEE1E
  - pÉKÉE1 qES AÉhLuEMü qEMüUxÉ MüE EnE1EaE MüUMü Müqf nEE1E1E uEESfá  
xEPÉQfá MüD nEWICÉIE MüUfá EÉ

www.XMUEU / xEqqEEIE :

Qij. LxÉ.oFF. LIÉ. UÉUÉ, nÉKÉEÉIÉ UÉKÉEÉIÉ Muñá xÉÉKÉCQIJ. TIÉN. LñÉSÉCQIJ. OoFF. MULÉSÉEÉIÉ. MÍ. 2. UÉUÉ. TÍRSÉA. AÉUÉQIJ. 2012. XÉXÉQQÉLÉIÉ. IMURÉ. aÉRÉ |




## Director's Desk

Though the stake of agriculture to the National Gross Domestic Product (NGDP) has receded from 30 percent in 1990-91 to 14.5 percent in 2011-12, a trend that is expected in the development process of any economy, it still forms the backbone of development. Structural change in the composition of agriculture leading to a diversification of Indian agriculture into livestock, horticulture and fisheries since the 1990s is a landmark development with great challenges and unlimited opportunities. The share of livestock in total output from the agriculture and allied sectors has increased from 20% in Triennium Ending (T.E.) 1990-91 to 25% in T.E. 2009-10 (at 2004-05 prices). Currently food-grains constitute about one fifth of the total value of output from the agriculture & allied sector which is less than the contribution from the livestock sector. Being the unique transformer of natural vegetation to product, livestock is the primal theme of ecological trans-equilibrium. It creates all the year round diverse employment cushion leveraging an average 35 million human years per annum. This rainbow lining of livestock sector looms a dream canvas for the Indian agriculture.

With its predicament of 'Agrisearch with a human touch', the Indian Council of Agricultural Research (ICAR) has translated myriads of farmer friendly technologies in the area of agriculture and livestock farming. Ensembled under its canopy and embellished with the 'Sardar Patel Best Institute Award-2012', the National Institute of Animal Nutrition and Physiology, has delivered its share of technologies in the area of livestock feed and reproduction. These include - area specific mineral mixture, bypass nutrients, complete feed block, adaptation of azolla, use of areca sheath as feed, sheep and goat mineral mixture, efficacy of red spectra in egg production and development of kits for early pregnancy detection.

These 'discoveries' blossomed the Second Innovative and Progressive Farmers Meet at NIANP on January 24, 2013, with indelible impressions from a spectrum of stakeholders. The translation of such themes summons wider projection and knowledge transmittance. At the behest of the Department of Animal Husbandry, Dairying and Fisheries, MoA, GoI, one Model Training Course (Feb 14-21, 2013) and two 'trainers training programme' (May 28-June 6 & June 27-July 6, 2013) were organized for the field officers of state animal husbandry departments to equip them with nascent advances in livestock feed quality for its dissemination to the farm clientele. The institute had also organized a 'Hands on training programme on isolation and characterization of rumen microbes' (March 12-18, 2013) to vent the cutting edge technologies in fibre degradation.

The expectations from the institute fuel us to strive continually through quality research, propped on 'motivated multi-disciplinary team effort' and a 'demand-driven, responsive, and vibrant' stakeholders. The institute would facilitate need based research in ongoing and emerging areas of livestock farming to denote productivity increase, reduce gap between potential and actual yield, and to prepare the country for the challenges of green globalization.



C.S. Prasad



*Agrisearch with a Human touch*



National Institute of Animal Nutrition and Physiology  
Adugodi, Bangalore-560030

Tel: 080-25711303, 25711164; Fax: 080-25711420.  
E mail: [directornianp@gmail.com](mailto:directornianp@gmail.com)  
[www.nianp.res.in](http://www.nianp.res.in)

